

Performance Features	Bufftech Vinyl
Lifetime limited warranty	V
Transferable warranty	~
5-year labor warranty	~
Dark color fade warranty	~
Made in the USA	~
Never needs painting or staining	~
Won't chip, peel, crack or splinter	~
Won't rot or support mold growth	~
Impervious to termites/wood-boring insects	~
Lead free	~
No harmful chemicals	~
High-quality raw materials	~
Concealed fasteners	~
Heavyweight pickets	~
Wide choice of colors	~
Woodgrain and stucco textures	~
Steel reinforced rails	~
Routed rails and posts	~
Class A rating for flame spread	~
Recycled Content	~
Self-extinguishing	~
Easy to assemble	~
Building code compliant	V
Meets ASTM standards	V

#### **Quality Assurance**

Bufftech fence products undergo rigorous testing to ensure they are manufactured to the highest standards and will withstand the test of time.

#### Material

- · Dimensional checks
- · Wall thickness
- Cap stock thicknessColor/gloss
- Impact
- Flex
- Flex
- Accelerated weathering
- Tensile strength

#### **Design**

Railing code approvals

- Kingston CCRR-0211
- Oxford CCRR-0187
- Panorama® CCRR-0115

Fence certifications

- Miami-Dade county approved
- NOA#:12-1106.11 (expires 3-13-2018)
- · Gates load tested for 300lbs
- ASTM E 90 Sound Transmission Loss Test
- STC 21 (applies to Chesterfield and Galveston)

#### **Building Responsibly with Bufftech**

CertainTeed is actively pursuing strategies to reduce our environmental impact, while increasing the sustainability of our operations and products. By carefully examining all environmental impacts throughout each phase of a product's life cycle—from raw materials and manufacturing, to transportation and use, to disposal and/or recycling—we gain a complete, accurate view of our product's true sustainability.

CertainTeed conducted a Life Cycle Assessment (LCA) that was submitted to the National Institute of Standards and Technology (NIST) and was published in the building product LCA database, BEES (Building for Environmental and Economic

National Institute of Standards and Technology U.S. Department of Commerce

Sustainability). The findings from this Life Cycle Assessment provide a new, if not surprising, vantage point from which to make more credible and confident decisions on environmentally sound vinyl fence options.

All Bufftech® products are GreenCircle Certified®, a third-party auditing process designed to assure builders, regulators and homeowners that Bufftech fence complies with our environmental and sustainability claims, including the recycled content of our product.





**Professional:** facebook.com/CertainTeedFreedomofChoice **Consumer:** facebook.com/CertainTeedLivingSpaces



#### **CertainTeed Corporation**

20 Moores Road Malvern, PA 19355 www.certainteed.con


### ASK ABOUT OUR OTHER CERTAINTEED® PRODUCTS AND SYSTEMS:

ROOFING • SIDING • TRIM • DECKING • RAILING • FENCE GYPSUM • CEILINGS • INSULATION

Professional: 800-233-8990 Consumer: 800-782-8777

© 01/17 CertainTeed Corporation, Printed in USA  $\,$  Code No. 40-40-70610  $\,$ 





# The **Bufftech®** Advantage

Long-lasting beauty, superior performance and the best protection you can get that's the Bufftech Advantage.

#### The difference starts with details.

Assures a clean, realistic look without visible glue or screws.

Heavyweight Pickets
Provide impact resistance and reduces movement.

#### Internal Reinforcement

Limits sagging and maintains a strong and sturdy performance.

# Performance

Bufftech's premium features, including high-quality raw materials, reinforced rails, heavyweight pickets, routed rails and fence posts, and concealed fasteners, ensure it will outlast and outperform other vinyl fences.

Backed by CertainTeed's exclusive WindZone™ performance, Bufftech fence is engineered for use in high wind and hurricane conditions, as approved by Miami-Dade County NOA #12-1106.11\*. Recognized as the most stringent standards in the country, Miami-Dade test protocols include dynamic wind load testing up to 115 mph.

The Bufftech line also meets requirements of the ASTM and includes styles that comply with local codes for swimming pool applications. Check with your local building code official as local codes may vary.

\*Miami-Dade County-approved NOA #12-1106.11, for exceptional performance in high wind conditions To comply with WindZone Performance. additional items are needed for installation. Please reference our product catalog. Expires 3/13/2018.







Look for these icons throughout the brochure on products that meet special performance requirements.

# Peace of Mind

CertainTeed stands behind the Bufftech line with an exceptional lifetime limited transferable warranty. SureStart™ protection, an exclusive CertainTeed benefit, covers warranted repair and replacement costs--including labor, for five years after installation.

CertainTeed also guarantees the performance of Bufftech's darker colors and stain blends with our proprietary ColorLast® fade protection, a state-of-the-art acrylic formulation that provides superior protection from the harsh rays of the sun.

CertainTeed is actively pursuing strategies to reduce our environmental impact. while increasing the sustainability of our operations and products. (see back cover for complete third-party testing information).

#### A company you can trust.

For more than 100 years, homeowners and building professionals alike have relied on CertainTeed as a trusted source of innovative, high-quality building products. Bufftech® continues this long-standing tradition with its superior vinyl fencing line, proudly made in the U.S.A.

CertaGrain

CertaGrain

Select Cedar

Select Cedar

# CertaGrain<sup>®</sup> Natural Clay White Select Cedar CertaGrain CertaGrain Frontier Blend Canyon Blend Select Cedar CertaGrain CertaGrain

# Color & Texture

CertainTeed sets the standard for the latest innovations in sophisticated styling. From our proprietary texturing process to our unique shades and stain blends, CertainTeed is the undisputed leader in color and texture. Whether you want the look and feel of natural wood or an easy-to-maintain, economical alternative to stucco walls, Bufftech has a vinyl fence to complement any setting. Plus, Bufftech is virtually maintenance-free, and never needs staining or painting. For complete style and color specifications, see page 32.

Mission Ivory CertaStucco Almond CertaStucco Colors throughout this brochure are simulated

Consult product samples

before making final selection

CertaStucco™

Almond

Smooth

White Smooth

Natural Clay



#### Galveston

Smooth Finish

Heights: 7' & 8' Picket Style: 7/8" x 7" Tongue & Groove





#### Galveston

Smooth Finish with Lattice & Galveston with Victorian (not shown)


Heights: 6' 8" plus 1' 4" Accent Picket Style: 7/8" x 7" Tongue & Groove



Almond



Distinctive
Deco Rail Design
available with smooth
fence styles.



# Chesterfield CertaGrain® Texture **Decorative Accents** and Styles

Customers look to CertainTeed for the latest innovations in style and performance. We're bringing you privacy with a different view. Introducing Chesterfield's expanded selection of CertaGrain® Texture Decorative Accents and Styles.



Add a unique, decorative style in one of four rich blend colors with Chesterfield Concave and Convex to make your fence stand out among the rest.

#### with Concave

Heights: 6'

Picket Style: 7/8" x 7" Tongue & Groove











#### with Convex

Heights: 6' and 6-1/2' Picket Style: 7/8" x 7" Tongue & Groove











Transition from low to high fence sections. These specially designed fence sections provide an aesthetically appealing way to unify your fence installation.

#### with S Curve

Heights: Transitions from 6' to 4' Picket Style: 7/8" x 7" Tongue & Groove











### with Swoop

Heights: Transitions from 6' to 4' Picket Style: 7/8" x 7" Tongue & Groove













For homeowners who like their privacy with a touch of style, the Chesterfield with Victorian Accent or with Lattice Accent offers two great choices.

### with Victorian Accent

Heights: 4' 8" plus 1' 4" Accent Picket Style: 7/8" x 7" Tongue & Groove

















#### with Lattice Accent

The 3-dimensional, molded, solid-color lattice features a subtle texture that complements the finish on the overall fence.

Heights: 4' 8" plus 1' 4" Accent Picket Style: 7/8" x 7" Tongue & Groove









11





10





# with Swoop

Smooth Finish

Ideal for transitioning from low to high fence.

Heights: Transitions from 6' to 4' Available Colors: White & Almond Picket Style: 7/8" x 7" Tongue & Groove



Almond

#### with S Curve

Smooth Finish

Ideal for transitioning from low to high fence.

Heights: Transitions from 6' to 4' Available Colors: White & Almond Picket Style: 7/8" x 7" Tongue & Groove



Almond



# with Westminster Accent

Heights: 4' 8" plus 1' 4" Accent Picket Style: 7/8" x 7" Tongue



4



## with Swoop

Ideal for transitioning from low to high fence.

Heights: Transitions from 6' to 4'
Picket Style: 5/8" x 11-3/8" Tongue & Groove



Almond

## with S Curve

Ideal for transitioning from low to high fence.

Heights: Transitions from 6' to 4' Picket Style: 5/8" x 11-3/8" Tongue & Groove



Almond

## with Lattice Accent

Heights: 4' 11" plus 1' 1" Accent Picket Style: 5/8" x 11-3/8" Tongue & Groove



Almond

### with Victorian Accent


Heights: 4' 11" plus 1' 1" Accent Picket Style: 5/8" x 11-3/8" Tongue & Groove



Almond

\_







### Baron

#### Smooth Finish

Heights: 3', 4', 5' & 6' (5' & 6' include midrail)
Picket Style: 7/8" x 3"
Picket Spacing: 2-15/16"







#### Baron with Midrail




#### Princeton

Heights: 3', 4', 5' & 6' (5' & 6' include midrail)
Picket Style: 7/8" x 1-1/2"
Picket Spacing: 1-3/4"



Almond



< Countess with Midrail



### **Countess**

Heights: 3', 4', 5' & 6' (5' & 6' include midrail) Picket Style: 7/8" x 1-1/2", 7/8" x 3" Picket Spacing: 2-5/16"



Almond



#### Monarch

Heights: 3', 4', 5' & 6' (5' & 6' include midrail)

Picket Style: 7/8" x 1-1/2", 7/8" x 3"

Picket Spacing: 3"



Almond

### Victorian

Heights: 3', 4', 5' & 6' (5' & 6' include midrail)
Picket Style: 7/8" x 1-1/2"
Picket Spacing: 3-5/8"



Almond



< Victorian with Midrail









Heights: 3', 4' Picket Style: 1-1/2" Square Picket Spacing: 1-9/16"

White

Concave

Almond

## Canterbury

Heights: 3' & 4' Picket Style: 1-1/2" Square Picket Spacing: 1-9/16"


White

## Canterbury

with Swoop

Heights: 3' & 4' Picket Style: 1-1/2" Square Picket Spacing: 1-9/16"

White



# **Post & Rail**

A winning combination of beauty, durability and versatility

### Safe for Horses

Bufftech's post & rail fence provides a safe, reliable enclosure for horses and other livestock. Available with CertaGrain Texture, our post & rail fence offers the authentic look of painted wood fence with the durability, low maintenance and proven performance of Bufftech's premium vinyl design.

# 4-Rail CertaGrain Texture


Rail Size (White): 1-1/2" x 5-1/2" Ribbed Rail Size (Blend Colors\*): 2" x 6" Ribbed



# 4-Rail


Smooth Finish

Rail Size: 1-1/2" x 5-1/2" Ribbed, 2" x 6" Ribbed



# 3-Rail CertaGrain Texture

Rail Size (White): 1-1/2" x 5-1/2" Ribbed Rail Size (Blend Colors\*): 2" x 6" Ribbed



### 3-Rail

Smooth Finish
Rail Size:
1-1/2" x 5-1/2" Ribbed,
2" x 6" Ribbed



#### Rail Size (White): 1-1/2" x 5-1/2" Ribbed Rail Size (Blend Colors\*):

Rail Size (Blend Co 2" x 6" Ribbed

2-Rail



**CertaGrain Texture** 

### 2-Rail

Smooth Finish Rail Size: 1-1/2" x 5-1/2" Ribbed



2-Rail and Crossbuck styles are recommended for decorative purposes only.


\*CertaGrain Post & Rail Fence in Blend Colors is installed on 6' post centers. Consult our product installation instructions at www.certainteed.com for full details.




Rail Size: 1-1/2" x 5-1/2" Ribbed

4-Rail CertaGrain Texture in Sierra Blend





Bufftech offers a wide selection of residential gates designed to match all of our fence styles, in a choice of heights and widths. Beautiful and durable, Bufftech gates deliver easy installation and great performance. Choose from unassembled gate kits or pre-assembled gates that ship ready to install.



	Pre-Assembled	Gate Kit Maximum	Extension Kit						
	Gate Widths	Width	Required**						
Galveston	50-1/2"	50-1/2"	No						
Chesterfield	36-1/2" 50-1/2" 64-3/4"	70"	Yes						
Chesterfield Concave Accent	50-1/2"	na	na						
Chesterfield Convex Accent	50-1/2"	na	na						
New Lexington	42-1/2" 50-1/2" 65-1/4"	72"	Yes						
Breezewood	50"	60"	Yes						
Imperial	50"	72"	Yes						
Columbia*	50"	50"	No						
Millbrook	50"	60"	Yes						
Baron	50"	72"	Yes						
Princeton	50"	72"	Yes						
Countess	50"	72"	Yes						
Monarch	50"	72"	Yes						
Victorian	50"	72"	Yes						
Manchester	50"	50"	No						
Manchester Concave	na	50"	No						
Canterbury	50"	50"	No						
Danbury	50"	50"	No						
Cape Cod	50"	60"	Yes						
Rothbury	50"	50"	No						
Yorkshire	50"	60"	Yes						
2-Rail*	na	72"	na						
3-Rail*	na	96"	na						
4-Rail*	na	96"	na						
Crossbuck*	na	96"	na						

Unassembled

- \* All Gates are rackable, except Columbia, Post & Rail (2-Rail, 3-Rail and 4-Rail smooth finish), and Crossbuck styles.
- \*\* For unassembled gate kits over 50" wide to achieve maximum width

#### **Stainless Steel Gate Hardware**

Give your gate the old-world look of wrought iron with our rugged, rust-free stainless steel gate hardware. The hardware includes hinge, strike and latch and is available in Black Pebble.





Strike and Latch

Hinge

### High Performance Nylon Gate Hardware Kits

Versatile and virtually maintenance free, our premium nylon gate hardware offers key lockable latches, self-closing hinges and contoured gate handles. Available in Black.

LokkLatch® Key-Lockable Gate Latch, GateHandle<sup>TM</sup>, MagnaLatch® Magnetic Safety Gate Latch, LokkLatch Magnetic<sup>®</sup> and TruClose® Self-Closing Gate Hinges are registered trademarks of D&D Technologies.















LokkLatch®

LokkLatch® with External Access Ki

kLatch® | eluxe

MagnaLatch® Magnetic Safety Gate Latch

GateHandle™

TruClose® Adjustable, Self-Closing Gate Hinges

# Accessories

Distinctive details for the perfect finishing touch

### **PVC Post Caps**

Bufftech's standard PVC post caps come in a variety of styles.



### **Aluminum Post Cap Covers**




The aluminum post cap cover with a textured decorative finish can be combined with our New England cap and coordinating gate hardware.\*\*

Offered in 4" x 4" and 5" x 5" sizes.

#### **Decorative Post Caps**

Bufftech's decorative post caps feature a metallic and powder coat finish.



#### **Solar Post Caps & Lighting**

Eco-friendly LED lights provide the ultimate in solar-powered accent lighting. Batteries included.

#### **Solar Post Caps**



Antique Brown Antique Copper Antique Gray Antique Gold



\*Fits both 4" x 4" and 5" x 5" post sizes. Adapter included.

#### **Solar Wedge Lights**





# Vineyard Pergola

Outside Dimensions: 93"h x 89"w x 54"d Inside Dimensions: 84"h x 48"w x 54"d

White



Beaumont

Outside Dimensions: 96"h x 57"w x 32"d Inside Dimensions: 90"h x 49"w x 32"d

White

<sup>\*\*</sup>Decorative cap and New England cap sold separately.

S	pecificatio	ns	& C	Colc	r Avail	ability	Picket		Metal Rail		White	puou	ey	ıtural Clay	ssion Ivory	eathered Blen	nber Blend	nyon Blend	ontier Blend	bor Blend	ctic Blend	azilian Blend	erra Blend	oney Blend
		Height	Racking	Post Size	Section Width	Picket Size	Spacing	Code	Reinforcement	Rails	₹	Ā	ຜັ້	Na Sa	Ĕ	×	<u> </u>	ပ်	Ę	Ari	Arc	ä	iğ	운
	Galveston Smooth	7', 8'	5° *	5" x 5"	96"	7/8" x 7" Tongue & Groove	N/A		Top, Middle, Bottom	2" x 6" Deco x 95" (Top/Bottom) 2" x 6" x 95" (Midrail)	•	•												
	Galveston CertaGrain	7', 8'	5° *	5" x 5"	96"	7/8" x 7" Tongue & Groove	N/A		Top, Middle, Bottom	2" x 6" Channeled x 95" (Top/Bottom) 2" x 6" x 95" (Midrail)						•			•			•		•
acy	Chesterfield Smooth	4', 5', 6'	10° *	5" x 5"	96"	7/8" x 7" Tongue & Groove	N/A	<b>S</b> O	Bottom**	2" x 6" Deco x 95"	•	•	*	•										
Priv	Chesterfield CertaGrain	4', 5', 6'	10° *	5" x 5"	96"	7/8" x 7" Tongue & Groove	N/A	<i>№</i> <b>©</b>	Bottom**	2" x 6" Channeled x 95"	•	•				•	•	•		•		•	•	•
	Chesterfield CertaStucco	4', 5', 6'	10° *	5" x 5"	96"	7/8" x 7" Tongue & Groove	N/A	<b>№ ○</b>	Bottom	2" x 6" Channeled x 95"					•									
	New Lexington	4', 5', 6'	7° *	5" x 5"	96"	5/8" x 11-3/8" Tongue & Groove	N/A		Bottom	1-1/2" x 5-1/2" Deco x 95"	•	•												
	Breezewood Select Cedar	4', 5', 6'	Stepping Recommended	5" x 5"	96"	7/8" x 3"	21/32"		Bottom**	2" x 6" x 95"	•	•				•						•		
Φ.	Imperial Smooth	3', 4'	10°	4" x 4"	96"	7/8" x 3"	7/16"	<b>6</b> 0	Bottom**	1-3/4" x 3-1/2" x 95-1/2"	•	•		•										
ivate		5', 6'	5°	5" x 5"		.,	.,				1111111			3333310					200000000000000000000000000000000000000	1111223			F2 10 1 1 1 1 1 1	
ni-Pr	Imperial Select Cedar	4' 5', 6'	10° 5°	4" x 4" 5" x 5"	96"	7/8" x 3"	7/16"	<b>№ ○</b>	Bottom**	1-3/4" x 3-1/2" x 95-1/2"	•	•					•					•		
Sen	Columbia	5', 6'	5°	5" x 5"	96"	7/8" x 6" Ribbed	4-9/16"	<b>S</b>	Bottom (Aluminum)	3-1/2" x 3-1/2" x 94"	•													
	Millbrook	5', 6'	5°	5" x 5"	96"	7/8" x 6" Ribbed	13/16"		Bottom	2" x 6" x 94-1/2" (Top/Bottom) 1-3/4" x 3-1/2" x 94-1/2" (Midrail)	•	•												
	Baron Smooth	3', 4'	10°	4" x 4"	96"	7/8" x 3"	2-15/16"	0	Bottom**	1-3/4" x 3-1/2" x 95-1/2"	•	•		•										
		5', 6'	5°	5" x 5" 4" x 4"							1111111	1117777	1	111111111111111111111111111111111111111		in UU la	01446		olumban.	HILLERA			TAIS LINE O	
_	Baron Select Cedar	5', 6'	5°	5" x 5"	96"	7/8" x 3"	2-15/16"	0	Bottom**	1-3/4" x 3-1/2" x 95-1/2"	•	•		1))•1))					•		•	•	N.	
porar	Princeton	3', 4' 5', 6'	10° 5°	4" x 4" 5" x 5"	96"	7/8" x 1-1/2"	1-3/4"	0	Bottom	1-3/4" x 3-1/2" x 95-1/2"	•	•												
onter	Countess	3', 4' 5', 6'	10° 5°	4" x 4" 5" x 5"	96"	7/8" x 1-1/2" 7/8" x 3"	2-5/16"	0	Bottom	1-3/4" x 3-1/2" x 95-1/2"	•	•												
O	Monarch	3', 4' 5', 6'	10° 5°	4" x 4" 5" x 5"	96"	7/8" x 1-1/2" 7/8" x 3"	3"	0	Bottom	1-3/4" x 3-1/2" x 95-1/2"	•	•												
	Victorian	3', 4' 5', 6'	10° 5°	4" x 4" 5" x 5"	96"	7/8" x 1-1/2"	3-5/8"		Bottom	1-3/4" x 3-1/2" x 95-1/2"	•	•												
Ssic	Manchester	3', 4'	5°	5" x 5"	96"	1-1/2" x 1-1/2"	1-9/16"		Bottom	2" x 6" x 94-1/2" (Bottom) 2" x 3-1/2" x 95" (Top)	•	•												
Class	Canterbury	3', 4'	5°	5" x 5"	96"	1-1/2" x 1-1/2"	1-9/16"		Bottom	2" x 6" x 94-1/2" (Bottom) 2" x 3-1/2" x 95" (Mid/Top)	•													
	Danbury Smooth	4'	5°	4" x 4"	96"	7/8" x 3"	2-15/16"		Bottom	1-3/4" x 3-1/2" x 95-1/2"	•	•		•										
nal	Danbury Select Cedar	4'	5°	4" x 4"	96"	7/8" x 3"	2-15/16"		Bottom	1-3/4" x 3-1/2" x 95-1/2"	•	•				•				•	•		•	
ditio	Rothbury	4'	5°	4" x 4"	96"	7/8" x 3"	2-15/16"		Bottom	1-3/4" x 3-1/2" x 95-1/2"	•	•												
Tra	Cape Cod	3', 4' 5'	15°	4" x 4"	72"	7/8" x 3"	2-7/16"		None	1-3/4" x 3-1/2" x 71-1/2"	•													
it & Rail	Yorkshire	3', 4'	15°	5" x 5" 4" x 4"	72"	7/8" x 3"	2-7/16"		None	1-3/4" x 3-1/2" x 71-1/2"	•													
	Post & Rail Smooth	3', 4', 5'	5°	5" x 5"	96"	N/A	N/A		None	1-1/2" x 5-1/2" Ribbed or 2" x 6" Ribbed	•	•												
	Post & Rail CertaGrain	3', 4', 5'	5°	5" x 5"	96" White 72" Blend Colors	N/A	N/A		None	1-1/2" x 5-1/2" Ribbed (white) or 2" x 6" Ribbed (blend colors)	•					•							(I)	
Pos	Crossbuck	4'	5°	5" x 5"	96"	N/A	N/A		None	1-1/2" x 5-1/2" Ribbed	•													

\*\*Reinforced top rail for ColorLast® colors \*Accents will reduce the amount of racking \*Indicates new color